

TYPHOON PROMO

15/09 - 19/12/2025



	3xD	5xD	8xD
PU/HPU	•	•	
GA/HGA	•	•	•
HVA	•	•	
CV	•		



Choose the Typhoon quality
and get a free technical
sweatshirt with every 300
euro order (*).

*price shown in the flyer

Sorma Osawa Tools' Quality

■ Purchase from the Typhoon selection!

Choose the Typhoon quality and get a free technical sweatshirt with every 300 euro order(*).

*price shown in the flyer

Why choose Typhoon?

O1

P M K N S

PU-HPU:

- High performance solid carbide drills for universal application.
- Counterbored cooling holes for increased coolant supply.
- Thickened transverse cutting edge, 45° chamfers, wide flutes, and straight cutting edge geometry for great reliability, excellent chip control, and long life.

O2

P M K

GA-HGA:

- High performance for general application.
- Special cutting edge preparation and small chamfers for edge protection ensure high performance and great reliability.

O3

P M S

HVA:

- High performance for stainless steel.
- Geometry, substrate and coating specific for ISO **M** materials drilling.

O4

P M K N

CV:

- High performance for general purpose.
- Non-through-coolant drills with an exceptional cost/performance ratio.

SORMA OSAWA TOOLS QUALITY:

Typhoon, high-performance solid carbide drills for every application need.

PU-HPU High performance - universal application

P	M	K	N	S	H
★	★	★	☆	★	

353PU	3xD		3xD	DIN 6537K		MG PV250			
353HPU	3xD		3xD	DIN 6537K		MG PV250			
355PU	5xD		5xD	DIN 6537L		MG PV250			
355HPU	5xD		5xD	DIN 6537L		MG PV250			

GA-HGA High performance - general application

P	M	K	N	S	H
★	★	★			

373GA	3xD		3xD	DIN 6537K		MG PV400		
373HGA	3xD		3xD	DIN 6537K		MG PV400		
375GA	5xD		5xD	DIN 6537L		MG PV400		
375HGA	5xD		5xD	DIN 6537L		MG PV400		
358HGA	8xD		8xD	OSAWA NORM		MG PV400		

HVA High performance - stainless steel

P	M	K	N	S	H
☆	★			☆	

353HVA	3xD		3xD	DIN 6537K		MG PV350		
355HVA	5xD		5xD	DIN 6537L		MG PV350		


CV High performance - general purpose

P	M	K	N	S	H
★	☆	☆	☆		

353CV	3xD		3xD	DIN 6537		MG PV200		
--------------	-----	---	------------	----------	---	-------------	---	---

Sorma Osawa Tools Quality

Choose the tools on promotion:



P	★	★	☆	★	★	★
M	★	★	★	★	☆	☆
K	★	★		★	★	☆
N	☆			☆		☆
S	★		☆			
H						

3xD


D(m7)	353HPU	373HGA	353HVA	353PU	373GA	353CV
€	€	€	€	€	€	€
3.00	26,78	23,07	29,29	18,84	18,94	9,05
3.10	26,78	23,07	29,29	18,84	18,94	9,18
3.20	26,78	23,07	29,29	18,84	18,94	9,18
3.30	26,78	23,07	29,29	18,84	18,94	9,75
3.40	26,78	23,07	29,29	18,84	18,94	9,75
3.50	26,78	23,07	29,29	18,84	18,94	9,75
3.60	26,78	23,07	29,29	18,84	18,94	10,12
3.70	26,78	23,07	29,29	18,84	18,94	10,12
3.80	26,78	23,07	29,29	18,84	18,94	10,62
3.90	26,78	23,07	29,29	18,84	18,94	10,62
4.00	26,78	23,07	29,29	18,84	18,94	10,62
4.10	26,78	23,07	29,29	18,84	18,94	10,96
4.20	26,78	23,07	29,29	18,84	18,94	10,96
4.30	26,78	23,07	29,29	18,84	18,94	11,48
4.40	26,78	23,07	29,29	18,84	18,94	11,48
4.50	26,78	23,07	29,29	18,84	18,94	11,48
4.60	26,78	23,07	29,29	18,84	18,94	11,48
4.70	26,78	23,07	29,29	18,84	18,94	12,04
4.80	26,78	23,91	29,29	18,84	19,63	12,22
4.90	26,78	23,91	29,29	18,84	19,63	12,22
5.00	26,78	23,91	29,29	18,84	19,63	12,22
5.10	26,78	23,91	29,29	18,84	19,63	12,22
5.20	26,78	23,91	29,29	18,84	19,63	14,45
5.30	26,78	23,91	29,29	18,84	19,63	14,45
5.40	26,78	23,91	29,29	18,84	19,63	14,45
5.50	26,78	23,91	29,29	18,84	19,63	14,45
5.60	26,78	23,91	29,29	18,84	19,63	15,10
5.70	26,78	23,91	29,29	18,84	19,63	15,10
5.80	26,78	23,91	29,29	18,84	19,63	15,10
5.90	26,78	23,91	29,29	18,84	19,63	15,10
6.00	26,78	23,91	29,29	18,84	19,63	15,10
6.10	36,38	32,16	39,77	22,85	20,34	
6.20	36,38	32,16	39,77	22,85	20,34	
6.30	36,38	32,16	39,77	22,85	20,34	
6.40	36,38	32,16	39,77	22,85	20,34	
6.50	36,38	32,16	39,77	22,85	20,34	
6.60	36,38	32,16	39,77	22,85	20,34	
6.70	36,38	32,16	39,77	22,85	20,34	
6.80	36,38	32,16	39,77	22,85	20,34	
6.90	36,38	32,16	39,77	22,85	20,34	
7.00	36,38	32,16	39,77	22,85	20,34	
7.10	36,38	32,16	39,77	22,85	20,55	

3xD

	353HPU	373HGA	353HVA	353PU	373GA	353CV
D(m7)	€	€	€	€	€	€
7.20	36,38	32,16	39,77	22,85	20,55	
7.30	36,38	32,16	39,77	22,85	20,55	
7.40	36,38	32,16	39,77	22,85	20,55	
7.50	36,38	32,16	39,77	22,85	20,55	
7.60	36,38	32,16	39,77	22,85	20,55	
7.70	36,38	32,16	39,77	22,85	20,55	
7.80	36,38	32,16	39,77	22,85	20,55	
7.90	36,38	32,16	39,77	22,85	20,55	
8.00	36,38	32,16	39,77	22,85	20,55	
8.10	40,80	38,49	44,58	28,70	22,94	
8.20	40,80	38,49	44,58	28,70	22,94	
8.30	40,80	38,49	44,58	28,70	22,94	
8.40	40,80	38,49	44,58	28,70	22,94	
8.50	40,80	38,49	44,58	28,70	22,94	
8.60	40,80	38,49	44,58	28,70	22,94	
8.70	40,80	38,49	44,58	28,70	22,94	
8.80	40,80	38,49	44,58	28,70	22,94	
8.90	40,80	38,49	44,58	28,70	22,94	
9.00	40,80	38,49	44,58	28,70	22,94	
9.10	40,80	38,49	44,58	28,70	22,94	
9.20	40,80	38,49	44,58	28,70	22,94	
9.30	40,80	38,49	44,58	28,70	22,94	
9.40	40,80	38,49	44,58	28,70	22,94	
9.50	40,80	38,49	44,58	28,70	22,94	
9.60	40,80	38,49	44,58	28,70	22,94	
9.70	40,80	38,49	44,58	28,70	22,94	
9.80	40,80	38,49	44,58	28,70	22,94	
9.90	40,80	38,49	44,58	28,70	22,94	
10.00	40,80	38,49	44,58	28,70	22,94	
10.10	59,66	52,78	63,80	37,88	31,16	
10.20	57,83	52,78	63,80	37,88	31,16	
10.30	57,83	52,78	63,80	37,88	31,16	
10.40	57,83	52,78	63,80	39,22	31,16	
10.50	57,83	52,78	63,80	37,88	31,16	
10.60	59,66	52,78	63,80	36,87	31,16	
10.70	59,66	52,78	63,80	39,22	31,16	
10.80	57,83	52,78	63,80	37,88	31,16	
10.90	59,66	52,78	63,80	38,39	31,16	
11.00	57,83	52,78	63,80	37,88	31,16	
11.10	59,66	52,78	63,80	38,39	31,16	
11.20	57,83	52,78	63,80	37,88	31,16	
11.30	57,83	52,78	63,80	36,87	31,16	
11.40	59,66	52,78	63,80	38,39	31,16	
11.50	57,83	52,78	63,80	37,88	31,16	
11.60	59,66	52,78	63,80	38,39	31,16	
11.70	59,66	52,78	63,80	38,39	31,16	
11.80	57,83	52,78	63,80	37,88	31,16	
11.90	59,66	52,78	63,80	38,39	31,16	
12.00	57,83	52,78	63,80	37,88	31,16	
12.10	83,37	74,97	89,16	59,28	45,11	
12.20	80,80	74,97	89,16	53,89	45,11	
12.30	83,37			59,28	45,11	
12.40	83,37			59,28	45,11	
12.50	80,80	74,97	89,16	53,89	45,11	
12.60	83,37			59,28	45,11	
12.70	79,37	74,97		59,28	45,11	
12.80	80,80	74,97	89,16	59,28	45,11	

3xD

	353HPU	373HGA	353HVA	353PU	373GA	353CV
D(m7)	€	€	€	€	€	€
12.90	83,37			59,28	45,11	
13.00	80,80	74,97	89,16	53,89	45,11	
13.10	83,37			59,28		
13.20	83,37			59,28		
13.30	80,80		89,16	59,28		
13.40	83,37			59,28		
13.50	80,80	74,97	89,16	53,89	45,11	
13.60	83,37			59,28		
13.70	79,37	74,97		59,28	45,11	
13.80	80,80	74,97	89,16	59,28	45,11	
13.90	83,37			59,28		
14.00	80,80	74,97	102,73	53,89	45,11	
14.10	96,09		102,73	74,80		
14.20	96,09	96,74	102,73	74,80	61,03	
14.30	96,09			74,80		
14.50	93,09	96,74	102,73	67,99	61,03	
14.60	96,09			74,80		
14.70				74,80	61,03	
14.80	96,09	96,74		74,80	61,03	
15.00	93,09	96,74	102,73	67,99	61,03	
15.10	96,09			74,80		
15.20	96,09	96,74		74,80	61,03	
15.30	93,09	96,74	102,73	74,80	61,03	
15.50	93,09	96,74	102,73	67,99	61,03	
15.60	96,09			74,80		
15.70	96,09			74,80	61,03	
15.80	93,09	96,74	102,73	74,80	61,03	
16.00	93,09	96,74	102,73	67,99	61,03	
16.10	163,84					
16.20	163,84					
16.30	163,84					
16.50	158,75	131,96	175,19	93,93	109,43	
16.70	163,84					
16.80	163,84					
17.00	158,75	131,96	175,19	93,93	109,43	
17.10	163,84					
17.20	163,84					
17.50	158,75	131,96	175,19	93,93	109,43	
17.60	163,84					
17.70	163,84					
17.80	163,84					
18.00	158,75	131,96	175,19	93,93	109,43	
18.10	179,29					
18.20	179,29					
18.30	179,29					
18.50	173,73	164,54	191,72	118,88	112,85	
18.60	179,29					
18.70	179,29					
18.80	179,29					
19.00	173,73	164,54	191,72	118,88	112,85	
19.20	179,29					
19.30	179,29					
19.50	173,73	164,54	191,72	118,88	112,85	
19.60	179,29					
19.80	179,29					
20.00	173,73	164,54	191,72	118,88	112,85	



P	★	★	☆	★	★
M	★	★	★	★	☆
K	★	★		★	★
N	☆			☆	
S	★		☆		
H					

5xD

	355HPU	375HGA	355HVA	355PU	375GA
D(m7)	€	€	€	€	€
3.00	33,89	28,83	37,58	21,07	21,22
3.10	33,89	28,83	37,58	21,07	21,22
3.20	33,89	28,83	37,58	21,07	21,22
3.25	35,02				
3.30	33,89	28,83	37,58	21,07	21,22
3.40	33,89	28,83	37,58	21,07	21,22
3.50	33,89	28,83	37,58	21,07	21,22
3.60	33,89	28,83	37,58	21,07	21,22
3.70	33,89	28,83	37,58	21,07	21,22
3.80	33,89	28,83	37,58	21,07	21,22
3.90	33,89	28,83	37,58	21,07	21,22
4.00	33,89	28,83	37,58	21,07	21,22
4.10	33,89	28,83	37,58	21,07	21,22
4.20	33,89	28,83	37,58	21,07	21,22
4.30	33,89	28,83	37,58	21,07	21,22
4.40	33,89	28,83	37,58	21,07	21,22
4.50	33,89	28,83	37,58	21,07	21,22
4.60	33,89	28,83	37,58	21,07	21,22
4.65	35,02	28,83			
4.70	33,89	28,83	37,58	21,07	21,22
4.80	33,89	29,90	37,58	21,07	21,98
4.90	33,89	29,90	37,58	21,07	21,98
5.00	33,89	29,90	37,58	21,07	21,98
5.10	33,89	29,90	37,58	21,07	21,98
5.20	33,89	29,90	37,58	21,07	21,98
5.30	33,89	29,90	37,58	21,07	21,98
5.40	33,89	29,90	37,58	21,07	21,98
5.50	33,89	29,90	37,58	21,07	21,98
5.55	35,02	29,90			
5.60	33,89	29,90	37,58	21,07	21,98
5.70	33,89	29,90	37,58	21,07	21,98
5.80	33,89	29,90	37,58	21,07	21,98
5.90	33,89	29,90	37,58	21,07	21,98
6.00	33,89	29,90	37,58	21,07	21,98
6.10	37,42	35,39	41,49	25,28	23,40
6.20	37,42	35,39	41,49	25,28	23,40
6.30	37,42	35,39	41,49	25,28	23,40
6.40	37,42	35,39	41,49	25,28	23,40
6.50	37,42	35,39	41,49	25,28	23,40
6.60	37,42	35,39	41,49	25,28	23,40
6.70	37,42	35,39	41,49	25,28	23,40
6.80	37,42	35,39	41,49	25,28	23,40
6.90	37,42	35,39	41,49	25,28	23,40
7.00	37,42	35,39	41,49	25,28	23,40
7.10	37,42	35,39	41,49	25,28	23,63
7.20	37,42	35,39	41,49	25,28	23,63
7.30	37,42	35,39	41,49	25,28	23,63
7.40	37,42	35,39	41,49	25,28	23,63
7.45	38,68	35,39			

5xD

	355HPU	375HGA	355HVA	355PU	375GA
D(m7)	€	€	€	€	€
7.50	37,42	35,39	41,49	25,28	23,63
7.60	37,42	35,39	41,49	25,28	23,63
7.70	37,42	35,39	41,49	25,28	23,63
7.80	37,42	35,39	41,49	25,28	23,63
7.90	37,42	35,39	41,49	25,28	23,63
8.00	37,42	35,39	41,49	25,28	23,63
8.10	45,10	41,57	50,51	31,95	26,38
8.20	45,10	41,57	50,51	31,95	26,38
8.30	45,10	41,57	50,51	31,95	26,38
8.40	45,10	41,57	50,51	31,95	26,38
8.50	45,10	41,57	50,51	31,95	26,38
8.60	45,10	41,57	50,51	31,95	26,38
8.70	45,10	41,57	50,51	31,95	26,38
8.80	45,10	41,57	50,51	31,95	26,38
8.90	45,10	41,57	50,51	31,95	26,38
9.00	45,10	41,57	50,51	31,95	26,38
9.10	45,10	41,57	50,51	31,95	26,38
9.20	45,10	41,57	50,51	31,95	26,38
9.25	46,63				
9.30	45,10	41,57	50,51	31,95	26,38
9.35	46,63				
9.40	45,10	41,57	50,51	31,95	26,38
9.45	46,63	41,57			
9.50	45,10	41,57	50,51	31,95	26,38
9.60	45,10	41,57	50,51	31,95	26,38
9.70	45,10	41,57	50,51	31,95	26,38
9.80	45,10	41,57	50,51	31,95	26,38
9.90	45,10	41,57	50,51	31,95	26,38
10.00	45,10	41,57	50,51	31,95	26,38
10.10	67,57	56,99	72,97	52,28	35,54
10.20	65,18	56,99	72,97	48,81	35,54
10.30	67,57	56,99	72,97	48,81	35,54
10.40	68,01	56,99	72,97	52,28	35,54
10.50	65,18	56,99	72,97	48,81	35,54
10.60	68,01	56,99	72,97	52,28	35,54
10.70	68,01	56,99	72,97	52,28	35,54
10.80	65,18	56,99	72,97	48,81	35,54
10.90	68,01	56,99	72,97	52,28	35,54
11.00	65,18	56,99	72,97	48,81	35,54
11.10	68,01	56,99	72,97	52,28	35,54
11.20	65,18	56,99	72,97	48,81	35,54
11.25	68,01				
11.30	65,18	56,99	72,97	48,81	35,54
11.40	68,01	56,99	72,97	52,28	35,54
11.50	65,18	56,99	72,97	48,81	35,54
11.60	68,01	56,99	72,97	52,28	35,54
11.70	68,01	56,99	72,97	52,28	35,54
11.80	65,18	56,99	72,97	48,81	35,54
11.90	68,01	56,99	72,97	52,28	35,54
12.00	65,18	56,99	72,97	48,81	35,54
12.10	89,95	80,21	96,52	67,31	
12.20	86,24	80,21	96,52	64,51	
12.30	89,95	80,21			
12.40	89,95	80,21			
12.50	86,24	80,21	96,52	64,51	51,42
12.60	89,95	80,21			
12.70	86,24	80,21		64,51	
12.80	86,24	80,21	96,52	64,51	
12.90	89,95				
13.00	86,24	80,21	96,52	64,51	51,42
13.10	89,95			67,31	
13.20	89,95			67,31	
13.30	86,24		96,52	64,51	
13.40	89,95				
13.50	86,24	80,21	96,52	64,51	51,42

5xD

	355HPU	375HGA	355HVA	355PU	375GA
D(m7)	€	€	€	€	€
13.60	89,95				
13.70	86,24	80,21		64,51	
13.80	86,24	80,21	96,52	64,51	
13.90	89,95	80,21			
14.00	86,24	80,21	96,52	64,51	51,42
14.10	115,16	103,50	123,59		
14.20	108,69	103,50	123,59		
14.30	115,16				
14.40	115,16				
14.50	110,40	103,50	123,59	77,51	69,56
14.60	115,16				
14.70	115,16	103,50			
14.80	115,16	103,50			
14.90	115,16				
15.00	110,40	103,50	123,59	77,51	69,56
15.10	115,16	103,50			
15.20	115,16	103,50			
15.30	110,40	103,50	123,59	80,17	
15.40	115,16				
15.50	110,40	103,50	123,59	77,51	69,56
15.60	115,16				
15.70	115,16	103,50			
15.80	110,40	103,50	123,59	80,17	
15.90	115,16				
16.00	110,40	103,50	123,59	77,51	69,56
16.10	177,68				
16.20	177,68				
16.30	177,68				
16.40	177,68				
16.50	170,30	150,44	190,65	112,57	115,99
16.60	177,68				
16.70	177,68				
16.80	177,68				
16.90	177,68				
17.00	170,30	150,44	190,65	112,57	115,99
17.10	177,68				
17.20	177,68				
17.30	177,68				
17.40	177,68				
17.50	170,30	150,44	190,65	112,57	115,99
17.60	177,68				
17.70	177,68				
17.80	177,68				
17.90	177,68				
18.00	170,30	150,44	190,65	112,57	115,99
18.10	207,01				
18.20	207,01				
18.30	207,01				
18.40	207,01				
18.50	198,45	187,57	222,13	145,69	119,64
18.60	207,01				
18.70	207,01				
18.80	207,01				
18.90	207,01				
19.00	198,45	187,57	222,13	145,69	119,64
19.10	207,01				
19.20	207,01				
19.30	207,01				
19.40	207,01				
19.50	198,45	187,57	222,13	145,69	119,64
19.60	207,01				
19.70	207,01				
19.80	207,01				
19.90	207,01				
20.00	198,45	187,57	222,13	145,69	119,64



P	★
M	★
K	★
N	
S	
H	

8xD

D(m7)	€
3.00	58,29
3.10	58,29
3.20	58,29
3.30	58,29
3.40	58,29
3.50	58,29
3.60	58,29
3.70	58,29
3.80	60,11
3.90	60,11
4.00	60,11
4.10	60,11
4.20	60,11
4.30	60,11
4.50	60,11
4.60	60,11
4.70	60,11
4.80	61,68
4.90	61,68
5.00	61,68
5.10	61,68
5.20	61,68
5.30	61,68
5.50	61,68
5.60	61,68
5.70	61,68
5.80	61,68
5.90	61,68
6.00	61,68
6.10	74,67
6.20	74,67
6.30	74,67
6.40	74,67
6.50	74,67
6.60	74,67
6.70	74,67
6.80	74,67

8xD

D(m7)	€
6.90	74,67
7.00	74,67
7.10	74,67
7.20	74,67
7.30	74,67
7.40	74,67
7.50	74,67
7.60	74,67
7.80	74,67
8.00	74,67
8.10	96,28
8.20	96,28
8.30	96,28
8.50	96,28
8.60	96,28
8.70	96,28
8.80	96,28
9.00	96,28
9.10	96,28
9.20	96,28
9.30	96,28
9.50	96,28
9.80	96,28
10.00	96,28
10.20	120,35
10.50	120,35
10.80	120,35
11.00	120,35
11.20	120,35
11.50	120,35
11.80	120,35
12.00	120,35
12.20	164,16
12.50	164,16
12.80	164,16
13.00	164,16
13.20	164,16
13.50	164,16
14.00	164,16
14.20	231,02
14.50	231,02
15.00	231,02
15.50	231,02
16.00	231,02
16.50	265,99
17.00	265,99
17.50	265,99
18.00	265,99
18.50	327,78
19.00	327,78
19.50	327,78
20.00	327,78



Sorma S.p.A. Socio Unico / Via Don F. Tosatto, 8 / 30174 Mestre - Venezia
+39 041.959179 / cuttingsolutions@sorma.net

www.sorma.net



\$OACT25TYP