



**TESA**  
TECHNOLOGY

2025-2  
**Hits**  
Essentials



00730075 MICRO-HITE manual



00730081 MICRO-HITE+M motorized

Article number	Measuring range, mm	Max. perm. errors $\mu\text{m}$	Repeatability limit $\mu\text{m}$	Resolution mm	Data output	List price €	Promo price €
<b>00730075</b>	920	2 + 2L	On surface: $\leq 1$ On arc: $\leq 1$	0,0001 / 0,001 / 0,01	TLC, USB	11480	<b>9758</b>
<b>00730081</b>	920	1,8 + 2L	On surface: $\leq 0,5$ On arc: $\leq 1$	0,0001 / 0,001 / 0,01	TLC, USB	11820	<b>9987</b>

L in m

Version EN-EUR

Valid until 30.11.2025  
Prices exclude VAT

|TESAtechnology.com



## TWIN-CAL universal digital calipers

Article number	Measuring range, mm	Resolution mm	Degree of protection	Thumb roller	Depth rod	Data output	List price €	Promo price €
<b>00530095</b>	0 ÷ 200	0,01		With	Square	TLC	199	<b>139</b>
<b>00530097</b>	0 ÷ 150	0,01		Without	Square	TLC	134	<b>93</b>
<b>00530319</b>	0 ÷ 150	0,01	IP67	Without	Square	TLC	198	<b>138</b>
<b>00530320</b>	0 ÷ 150	0,01	IP67	Without	Round	TLC	198	<b>138</b>

## Universal dial calipers

Article number	Measuring range mm	Travel / revolution, mm	Resolution mm	Ø Dial mm	Thumb roller	List price €	Promo price €
<b>00510050</b>	0 ÷ 150	1	0,01	32	Without	163	<b>114</b>
<b>00510008</b>	0 ÷ 150	2	0,02	32	Without	153	<b>107</b>

## ISOMASTER analogue external micrometers

Article number	Measuring range mm	Travel / revolution mm	Resolution mm	List price €	Promo price €
<b>00110101</b>	0 ÷ 25	0,5	0,01	193	<b>115</b>
<b>00110102</b>	25 ÷ 50	0,5	0,01	282	<b>169</b>



## Analogue dial gauges

Article number	Measuring range, mm	Travel / revolution, mm	Resolution mm	Degree of protection	Circular scale	Shockproof mechanism	Ø Dial mm	List price €	Promo price €
<b>01419047</b>	5	0,5	0,01	IP40	0 ÷ 25 ÷ 50	With	40	117	<b>93</b>
<b>01419048</b>	10	1	0,01	IP40	0 ÷ 50 ÷ 100	With	58	77	<b>61</b>

## TESATAST analogue lever-type dial test indicators

Article number	Measuring range mm	Resolution mm	Circular scale	Ø Dial mm	List price €	Promo price €
<b>01810006</b>	0,8	0,01	0 ÷ 0,4 ÷ 0	38	174	<b>121</b>
<b>01810010</b>	0,2	0,002	0 ÷ 100 ÷ 0	38	202	<b>141</b>

## P-LINE analogue lever-type dial test indicators

Article number	Measuring range mm	Travel / revolution, mm	Resolution mm	Circular scale	Ø Dial mm	List price €	Promo price €
<b>01810403</b>	3	1	0,01	0 ÷ 50 ÷ 100	40	558	<b>446</b>
<b>01810406</b>	1,2	0,2	0,002	0 ÷ 10 ÷ 20	40	577	<b>461</b>

### Accessory

Article number	Designation	List price €	Promo price €
<b>01639070</b>	Magnetic support EASY	229	<b>183</b>



## Roughness gauges

Article number	Designation	List price €	Promo price €
<b>06930013</b>	RUGOSURF 20 roughness gauge	2066	<b>1652</b>
<b>06930014</b>	TWIN-SURF roughness gauge	2599	<b>2209</b>
<b>06930015</b>	TWIN-SURF roughness gauge, Bluetooth® version	2790	<b>2371</b>

The TWIN-SURF (Bluetooth® version) is only available in countries where it is officially certified. Visit our website to know the list of countries in which this product is available.



We reserve the right to make changes to our products, especially due to technical improvements and further developments. All illustrations and technical data are therefore without guarantee. All prices shown are non-binding price recommendations.